



ALL ROUND®

PART OF ISD



NEW RANGE OF HANG TABS
ECO-DESIGNED IN CARDBOARD

HANG TABS CATALOGUE

MORE ABOUT OUR RANGE OF HANG TABS

All-Round has been manufacturing Hang-Tabs since 1992. Building on this history, the company has expanded its expertise in **the production of label holders and a wide range of POS and display accessories.**



A VERY WIDE RANGE OF PRODUCTS

Adhesive hangers that allow you to hang all types of packaging, to strengthen or repair them.



MADE OF RECYCLED PET & 100% RECYCLABLE

Our Hang Tabs are made of PET, a common category 1 plastic, recognised by the recycling sector.

**DISCOVER ON PAGE 2 OUR NEW RANGE
OF CARDBOARD HANG TABS.**



CUSTOMISED

Possibility to customise your Hang Tabs according to your needs or to make specific packaging.



CONTACT US ON
+32 (0)9 363 93 60

CHOOSE YOUR HANG TAB IN **6 STEPS**

1 CHOOSE ITS TYPE OF USE

HANGING

REINFORCING

REPAIRING



2 CHOOSE ITS HOOK



DELTA SLOT: Reference in the USA.
Suitable for single or double arms.



EUROSLOT: European reference for single or double arms. Excellent holding power.
Also available in double "rider".



ROUND SLOT: Suitable for single arms.
Ideal for small and light products.
Also available in double "rider".



OPEN HOOK: Allows the product to be removed from any position on the arm.

3

SELECT THE RIGHT HANG TAB RANGE ACCORDING TO THE WIDTH OF THE PACKAGING

SMALL

Self-adhesive surface
15 to 30 mm wide
depending on model

MEDIUM

Self-adhesive surface
40 x 35 mm

LARGE

Self-adhesive surface
50 x 50 mm

HOOK
RANGE

Self-adhesive surface
18 x 65 mm

4

CHOOSE A HANG TAB ACCORDING TO THE WEIGHT OF THE PACKAGING

THE FLEXI RANGE:



RECOMMENDED MAXIMUM WEIGHT 250 / 300 G

- **Consisting of:**
 - > a rigid upper part in 250µ.
 - > a flexible adhesive bottom part to fit the shape of your packaging or to stick on the packaging.
- Available in reels, sheets or blocks but never in bulk.
- Once positioned on the packaging, the flexible part allows you to fold down the upper part without disturbing the packaging of the boxes.

THE RIGID RANGE:




RECOMMENDED MAXIMUM WEIGHT 400 G

- **Consisting of a rigid 380µ PET support on which to place:**
 - > Either a high quality double-sided acrylic adhesive.
 - > Or a permanent foam to absorb variations in the flatness of the product.
- Available in reels, sheets or bulk but never in blocks.
- 2 finishes: A non-folding product that can disturb outer packaging - some folding references.


5

CHOOSE ITS PACKAGING

BULK



SHEETS



PACK




REEL




6


CHOOSE ITS TYPE OF ADHESIVE



THE FLEXI is a mass of adhesive applied directly to the substrate. It provides good adhesion but does not increase the mechanical properties of the Hang Tab, which therefore remains very flexible and cannot support heavy weights.



THE FOAM, like the standard adhesive, provides a good hold on the products. It also enables any irregularities in the packaging to be absorbed.



THE STANDARD is an adhesive with good frictional resistance that ensures good product retention.



Scan this QR code with your smartphone camera to find all our product drawings to **scale 1!**



NEW

Discover our new range

Eco — designed



Our new Hang Tabs are made of 1mm thick Kraft cardboard, thus ensuring a **very high mechanical resistance**. We don't use any plastic and we put an adhesive mass on our Hang Tabs to provide the sticky part and so offer you a range that is **100% recyclable** !

For the hooks, we prefer a range of 2 mm chipboard and adhesive to offer an alternative to our injected hooks.


Fully
biodegradable
with no plastic body


Recyclable fibres


Economical
solution


Very tough
Tear resistant


Very attractive



NEW

In bulk	✗
Rigid	✗
Round slot	✗
Dimensions	25 x 35 mm
Adhesive width	ADH 18
Cardboard thickness	1 mm
Sales unit	1,000



Hang tabs

coated with adhesive
for optimum maintenance



In reels	✗
Rigid	✗
Euro hole	✗
Dimensions	45 x 50 mm
Adhesive width	ADH 18
Cardboard thickness	1 mm
Sales unit	1,000

In reels	✗
Rigid	✗
Hook	✗
Dimensions	28 x 45 mm
Adhesive width	ADH 18
Cardboard thickness	1 mm
Sales unit	1,000



The hooks

as strong and durable
as our injected hooks!



In bulk	✗
Rigid	✗
Hook	✗
Dimensions	65 x 49 mm
Adhesive width	ADH 9
Sales unit	1,000

In bulk	✗
Rigid	✗
Hook	✗
Dimensions	50 x 35 mm
Adhesive width	ADH 9
Sales unit	1,000




Our new cardboard Hang Tabs
are part of our Green Act program
for more information,
scan this QR code



CONTENTS


1 HANG TABS




P. 6 - 10
Hang-tabs
For double arms




P. 11 - 14
Hang-tabs
For single arms



P. 15
Rider
Hang-tabs




P. 16
Hang-tabs
For cylinders




P. 17 - 18
Hang-tabs
Flat



P. 19 - 20
Hang-tabs
Blister
reinforcement



P. 21 - 24
Hang-tabs
Injected open
hooks




P. 25 - 26
Hang-tabs
Bottle neck

2 TWISTERS & WOBBLERS




P. 28 - 30
Twisters
aluminium




P. 31 - 34
Wobblers &
Twisters PET


3 CROSS STRIPS




P. 36 - 37
Cross strips -PP
hooked



P. 38
Cross strips -PP
For tubes



P. 39
Cross strips
injected or metal



P. 40
Cross strips
Accessories

4 ADHESIVES



P. 42 - 47
Double-sided
reels



P. 48 - 50
Pads
double-sided




P. 51
Specifics
Bag Closures &
Mask Clips



P. 52
Dispensers
& transfer reels



P. 53 - 55
Velcro
adhesive pads and
tapes



P. 56
Magnetic
reels



P. 57
Application
accessories



Zur Linderung von nervösen
Unruhezuständen und Schlafstörungen
Homeopathisch genesmittel
Médicament homéopathique
Homöopathisches Arzneimittel

HANG TABS

1/HANG-TABS FOR DOUBLE ARM

Small sizes



BLI 55429

Euroslot hang tabs 41 x 35 mm - PET

	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
BLI 55429 / 1000			✗		✗		✗				150g	41x35	ADH 15	250μ	1000
BLI 55429 / 10000			✗		✗		✗				150g	41x35	ADH 15	250μ	10000

BLI325

Euroslot hang tabs 40 x 35 mm - PET

	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
BLI325/1000		✗				✗	✗				500g	40x35	ADH 18	380μ	1000

BLI 432 - BLI384

Euroslot hang tabs 42 x 40 mm - PET

	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
BLI432/1000	✗					✗	✗				250g	42x40	ADH 18	380μ	1000
BLI432/3000	✗					✗	✗				250g	42x40	ADH 18	380μ	3000
BLI384/2000	✗					✗	✗				300g	42x40	FOAM 18	380μ	2000

BLI 321

Deltaslot hang tabs 40 x 35 mm - PET

	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
BLI321/100		✗				✗		✗			500g	40x35	ADH 18	380μ	100
BLI321/2000		✗				✗		✗			500g	40x35	ADH 18	380μ	2000
BLI323/1000		✗				✗		✗			600g	40x35	FOAM 18	380μ	1000

BLI 380

Deltaslot hang tabs 40 x 35 mm - PET

	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
BLI380/2500	✗					✗		✗			500g	40x35	ADH 18	380μ	2500
BLI380/1000	✗					✗		✗			500g	40x35	ADH 18	380μ	1000

BLI315

Double arm hang tabs 30 x 40 mm - PET

	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
BLI315/2000		✗				✗					350g	30x40	ADH 18	250μ	2000

EXPERT OPINION



HOW TO STORE YOUR HANG TABS AND KEEP ALL THEIR FEATURES

In order not to affect the quality of the adhesives,

we recommend storing them in a dry place, at room temperature and protected from light.


Don't hesitate to request samples so as to carry out tests under actual conditions.

1/HANG TABS FOR DOUBLE ARM

Medium sizes


BLI 179

Deltaslot hang tabs 44 x 37 mm - PET

	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
 BLI179/4000	✗				✗			✗			150g	44x37	ADH 18	250μ	4000


BLI 178 - BLI364

Euroslot hang tabs 44 x 37 mm - PET

	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
 BLI178/3000	✗				✗		✗				150g	44x37	ADH 18	250μ	3000
BLI364/1000	✗				✗		✗				150g	44x37	ADH 18	250μ	1000
BLI364/2000	✗				✗		✗				150g	44x37	ADH 18	250μ	2000
BLI364/4000	✗				✗		✗				150g	44x37	ADH 18	250μ	4000


BLI 425 - BLI424

Deltaslot hang tabs 40 x 35 mm - PET

	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
 BLI425/3000	✗					✗		✗			450g	40x35	ADH 18	250μ	3000
BLI424/2500	✗					✗		✗			450g	40x35	ADH 18	380μ	2500

BLI 382


Deltaslot hang tabs 45 x 45 mm - PET

	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
 BLI382/2000	✗					✗		✗			450g	45X45	ADH 23	380μ	2000

1/HANG TABS FOR DOUBLE ARM Large sizes

BLI1004


Deltaslot hang tabs in block form 50 x 50 mm - PET



	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
BLI1004/100				✗	✗			✗			300g	50x50	ADH 28	250μ	100
BLI1004/1000				✗	✗			✗			300g	50x50	ADH 28	250μ	1000
BLI1004/500				✗	✗			✗			300g	50x50	ADH 28	250μ	500

BLI 5


Euroslot hang tabs in block form 50 x 50 mm - PET



	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
BLI5/100				✗	✗		✗				300g	50x50	ADH 28	250μ	100
BLI5/1000				✗	✗		✗				300g	50x50	ADH 28	250μ	1000
BLI5/500				✗	✗		✗				300g	50x50	ADH 28	250μ	500

BLI366


Euroslot hang tabs 50 x 38 mm - PET



	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
BLI366/2500	✗				✗		✗				250g	50x38	ADH 20	250μ	2500

BLI 359 - BLI360

Euroslot hang tabs 50 x 50 mm - PET




	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
BLI359/4000*	✗				✗		✗				300g	50X50	ADH 28	250μ	4000
BLI360/100	✗				✗		✗				300g	50X50	ADH 28	250μ	100
BLI360/2000	✗				✗		✗				300g	50X50	ADH 28	250μ	2000
BLI360/500	✗				✗		✗				300g	50X50	ADH 28	250μ	500
BLI360/1000	✗				✗		✗				300g	50X50	ADH 28	250μ	1000
BLI360/4000	✗				✗		✗				300g	50X50	ADH 28	250μ	4000

* cover removed

BLI 385


Euroslot hang tabs 50 x 40 mm - PET



	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
BLI385/2000	✗					✗	✗				500g	50x40	ADH 18	380μ	2000

BLI 377 - BLI 386 - BLI381 - BLI383

Euroslot hang tabs 50 x 50 mm - PET



	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
BLI377/2500	✗					✗	✗				600g	50X50	ADH 23	250μ	2500
BLI386/2500	✗					✗	✗				600g	50X50	ADH 23	380μ	2500
BLI381/1000	✗					✗	✗				600g	50X50	FOAM 18	380μ	1000
BLI383/1000	✗					✗	✗				600g	50X50	FOAM 18	500μ	1000



EXPERT OPINION

HOW TO CHOOSE YOUR PACKAGING


- **In reels:** recommended for automatic or manual installation.
- **In bulk:** ideal for manual application.
- **In sheets:** recommended for manual application and to save installation time - makes inventorising easier.
- **In blocks:** recommended for quick and versatile use in all situations.



1/HANG TABS FOR SINGLE ARM Closed hooks


BLI55430

Round slot hang tabs 20 x 31 mm - PET

	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
BLI55430/1000			✗		✗				✗		50g	20X31	ADH 10	250μ	1000


BLI1011

Round slot hang tabs, in block, 25 x 50 mm - PET

	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
BLI1011/1000				✗	✗				✗		150g	25X50	ADH 28	250μ	1000


BLI423

Round slot hang tabs 25 x 50 mm - PET

	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
BLI423/5000	✗				✗				✗		150g	25X50	ADH 23	250μ	5000

BLI362

Round slot hang tabs 30 x 50 mm - PET

	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
BLI362/2500	✗				✗				✗		150g	30X50	ADH 20	250μ	2500

1/HANG-TABS - FOR SINGLE ARM - Closed hooks

BLI 311 - BLI 312 - BLI313

Round slot hang tabs 25 x 35 mm - PET

	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
BLI311/1000		✗				✗			✗		300g	25x35	ADH 18	380μ	1000
BLI311/5000		✗				✗			✗		300g	25x35	ADH 18	380μ	5000
BLI312/2000		✗				✗			✗		200g	25x35	FOAM 8	380μ	2000
BLI313/2000		✗				✗			✗		400g	25x35	FOAM 18	380μ	2000

BLI303 - BLI305

Round slot hang tabs 15 x 40 mm - PET

	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
BLI303/2000		✗				✗			✗		200g	15X40	ADH 18	500μ	2000
BLI305/1000		✗				✗			✗		150g	15X40	ADH 18	250μ	1000

BLI388 - BLI389

Round slot hang tabs 16 x 40 mm - PET

	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
BLI389/5000	✗					✗			✗		200g	16x40	ADH 18	380μ	5000
BLI388/3000	✗					✗			✗		200g	16x40	FOAM 18	380μ	3000

BLI174

Round slot hang tabs 20 x 32 mm - PET


	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
BLI174/4000	✗					✗			✗		150g	20x32	ADH 9	250μ	4000
BLI174/1000	✗					✗			✗		150g	20x32	ADH 9	250μ	1000

1/HANG TABS FOR SINGLE ARM Open hooks




BLI361

Hang tabs with hook 28 x 44 mm - PET

	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
BLI361/3000	✗				✗					✗	100g	28x44	ADH 18	500μ	3000
BLI361/1000	✗				✗					✗	100g	28x44	ADH 18	500μ	1000


BLI394

Hang tabs with hook 22 x 35 mm - PET

	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
BLI394/5000	✗					✗				✗	200g	22X35	ADH 13	380μ	5000
BLI394/1000	✗					✗				✗	200g	22X35	ADH 13	380μ	1000

BLI55431

Hang tabs with hook 30 x 45 mm - PET

	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
BLI55431/1000			✗			✗				✗	300g	30X45	ADH 18	380μ	1000

BLI351 - BLI352

Hang tabs with hook 27 x 40 mm - PET

	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
BLI351/1000		✗				✗				✗	150g	27X40	ADH 9	500μ	1000
BLI352/1000		✗				✗				✗	150g	27X40	FOAM 9	500μ	1000

BLI353 - BLI354

Hang tabs with hook 27 x 40 mm - PET

	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
BLI353/2000		✗				✗				✗	300g	27X40	ADH 18	500μ	2000
BLI353/1000		✗				✗				✗	300g	27X40	ADH 18	500μ	1000
BLI354/1000		✗				✗				✗	400g	27X40	FOAM 18	500μ	1000

BLI391 - BLI1002

Hang tabs with hook 28 x 45 mm - PET

	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
BLI391/3000	✗					✗				✗	300g	28X45	ADH 18	500μ	3000
BLI391/1000	✗					✗				✗	300g	28X45	ADH 18	500μ	1000
BLI1002/2000	✗					✗				✗	400g	28X45	FOAM 18	500μ	2000




EXPERT OPINION

WHY CHOOSE THE OPEN HOOK?

The very practical open hook has a number of advantages:

- Very flexible, **shelving is simple and fast.**
 - Its open format allows **the product to be removed from any position on the arm.**
- Ideal for colour or size mixes on the same arm!



BLI435

Euroslot rider Hang tabs 50 x 100 mm - PET

	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
BLI435/3000	✗				✗		✗				500g	50x100	ADH 18	250μ	3000

BLI184 - BLI155 - BLI154


Euroslot rider Hang tabs 50 x 80 & 100 mm - PET

	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
BLI184/2000	✗					✗	✗				500g	50X80	ADH 9	380μ	2000
BLI155/2000	✗					✗	✗				1000g	50X100	ADH 18	380μ	2000
BLI154/1000	✗					✗	✗				1200g	50X100	FOAM 18	380μ	1000

BLI177

Hook rider hang tabs 28 x 88 mm - PET

	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
BLI177/4000	✗					✗				✗	250g	28x88	ADH 18	380μ	4000



WHAT ARE THE ADVANTAGES OF RIDER HANG TABS?

With our range of 'rider' Hang Tabs you can seal your packaging to prevent it being opened. They are recommended for:

- Heavier items.
- Special packaging (products in tubes, pre-punched packaging etc.).


EXPERT OPINION



1/HANG TABS FOR CYLINDERS

BLI11 - BLI197


Pantou Hang tabs 15 x 200 mm - PET



	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	Thickness PP	Sales Unit
BLI11/1000				✗	✗						500g	15x200	ADH 2x42	75μ	1000
BLI197/14000	✗				✗						500g	15x200	ADH 2x42	75μ	14,000

BLI196


Euroslot hang tabs 50 x 47 mm - PET



	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
BLI196/4000	✗				✗		✗				300g	50x47	ADH 18	250μ	4000

BLI158

Euroslot hang tabs 50 x 47 mm - PET



	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
BLI158/4000	✗					✗	✗				500g	50x47	ADH 18	250μ	4000




EXPERT OPINION

SOLUTIONS TAILORED TO YOUR PACKAGING

Having trouble finding the right model for your packaging?
Our suspension experts are here to help you:

- Select the appropriate model recommended for your needs.
- Choose the type of adhesive for a long-lasting hold.

CONTACT US ON
+32 (0)9 363 93 60



BLI398 - BLI163 - BLI399 - BLI162

Deltaslot flat hang tabs 62 x 35 mm - PET

	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
BLI398/4000	✗					✗		✗			400g	62X35	ADH 2x9	250μ	4000
BLI398/1000	✗					✗		✗			400g	62X35	ADH 2x9	250μ	1000
BLI163/1500	✗					✗		✗			450g	62X35	FOAM 2x9	250μ	1500
BLI399/2500	✗					✗		✗			400g	62X35	ADH 2x9	380μ	2500
BLI162/1000	✗					✗		✗			450g	62X35	FOAM 2x9	380μ	1000

BLI 167

Deltaslot flat hang tabs 62 x 51 mm - PET

	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
BLI167/2500	✗					✗		✗			600g	62x51	ADH 2x9	250μ	2500

BLI170

Euroslot flat hang tabs 70 x 40 mm - PET

	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
BLI170/4000	✗					✗	✗				500g	70x40	ADH 2X9	250μ	4000




Order your hang tabs
directly on our website
by scanning this QR code with your
smartphone camera.




BLI498

Euroslot flat hang tabs 52 x 35 mm - PET

	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
 BLI498/4000	✗					✗	✗				350g	52x35	ADH 2X9	250μ	4000


BLI409 - BLI410

Euroslot flat hang tabs 62 x 35 mm - PET

	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
 BLI409/4000	✗					✗	✗				400g	62X35	ADH 2X9	250μ	4000
BLI409/1000	✗					✗	✗				400g	62X35	ADH 2X9	250μ	1000
BLI410/2500	✗					✗	✗				400g	62X35	ADH 2X9	380μ	2500


BLI395 - BLI396

Flat hang tabs, flat round slot, 45 x 43 mm - PET

	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
 BLI395/3000	✗					✗			✗		500g	45X43	ADH 2x9	250μ	3000
BLI396/1000	✗					✗			✗		500g	45X43	ADH 2x9	380μ	1000

BLI421

Flat hang tabs with hook 45 x 43 mm - PET


	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
 BLI421/2500	✗					✗				✗	350g	45X43	ADH 2x9	500μ	2500
BLI421/1000	✗					✗				✗	350g	45X43	ADH 2x9	500μ	1000

1/HANG TABS BLISTER REINFORCEMENTS




BLI344

Deltaslot reinforcement 45 x 33 mm - PET

	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
															
BLI344/4000	✗					✗		✗			200g	45x33	ADH 33	250μ	4000
BLI344/1000	✗					✗		✗			200g	45x33	ADH 33	250μ	1000


BLI 185 - BLI550185 - BLI374

Euroslot reinforcement 45 x 28 mm - PET

	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
															
BLI185/4000	✗					✗	✗				200g	45X28	ADH 28	250μ	4000
BLI550185/1000			✗			✗	✗				200g	45X28	ADH 28	250μ	1000
BLI374/3000	✗					✗	✗				300g	45X28	ADH 28	380μ	3000


BLI 370 - BLI371

Euroslot reinforcement 50 x 40 mm - PET

	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
															
BLI370/2000	✗					✗	✗				200g	50X40	ADH 40	250μ	2000
BLI370/1000	✗					✗	✗				200g	50X40	ADH 40	250μ	1000
BLI371/2000	✗					✗	✗				300g	50X40	ADH 40	380μ	2000


BLI373

Reinforcement for upper part 32 x 19 mm - PET

	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
															
BLI373/5000	✗					✗				✗	100g	32X19	ADH 19	380μ	5000


BLI375

Reinforcement for upper part 45 x 18 mm - PET

	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
															
BLI375/6000	✗					✗	✗				200g	45X18	ADH 18	380μ	6000

BLI363

Reinforcement for double arm 50 x 18 mm - PET

	Packaging				Quality		Slot				Characteristics				
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	PET thickness	Sales Unit
															
BLI363/2000	✗					✗			✗		100g	50x18	ADH 18	250μ	2000




EXPERT OPINION


OUR RANGE FOR REPAIRING OR REINFORCING

Is your packaging damaged or torn so you can no longer hang it up and offer it for sale?
Not a problem! Our range of special blister reinforcements lets you repair or reinforce them.

I REPAIR



I REINFORCE





Scan this QR code
to download
all the templates of
our Hang Tabs to scale 1


1/HANG TABS

INJECTED OPEN HOOK

Small sizes

BLI502

Hook 2 mm - 18 x 41 mm - PP



	Packaging				Quality		Slot				Characteristics			
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	Sales Unit
BLI502/1000		✗								✗	150g	18x41	FOAM 8	1000

BLI6


Hook 2 mm - 25 x 50 mm - PP



	Packaging				Quality		Slot				Characteristics			
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	Sales Unit
BLI6/1000		✗								✗	500g	25x50	/	1000

BLI515 - BLI516


Hook 2 mm - 36 x 32 mm - PP



	Packaging				Quality		Slot				Characteristics			
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	Sales Unit
BLI515/1000		✗								✗	250g	36x32	ADH 9	1000
BLI516/1000		✗								✗	300g	36x32	FOAM 8	1000


BLI521 - BLI522

Hook 2 mm - 50 x 32 mm - PP




	Packaging				Quality		Slot				Characteristics			
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	Sales Unit
BLI521/1000		✗								✗	300g	50x32	ADH 9	1000
BLI522/1000		✗								✗	350g	50x32	FOAM 8	1000


BLI531 - BLI532
Hook 2 mm - 60 x 87 mm - PP

	Packaging				Quality		Slot				Characteristics			
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	Sales Unit
														
BLI531/1000		✗								✗	600g	60x87	ADH 18	1000
BLI532/1000		✗								✗	500g	60x87	FOAM 9	1000


BLI9001 - BLI9002
Hook 2 mm - 66 x 32 mm - PP

	Packaging				Quality		Slot				Characteristics			
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	Sales Unit
														
BLI9001/1000		✗								✗	400g	66x32	ADH 9	1000
BLI9002/1000		✗								✗	450g	66x32	FOAM 8	1000

BLI525 - BLI526
Hook 2 mm - 64 x 60 mm - PP

	Packaging				Quality		Slot				Characteristics			
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	Sales Unit
														
BLI525/1000		✗								✗	400g	64x60	ADH 9	1000
BLI526/1000		✗								✗	450g	64x60	FOAM 8	1000

BLI541 - BLI542
Hook 2 mm - 65 x 49 mm - PP

	Packaging				Quality		Slot				Characteristics			
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	Sales Unit
														
BLI541/1000		✗								✗	400g	65x49	ADH 9	1000
BLI542/1000		✗								✗	450g	65x49	FOAM 8	1000

1/HANG TABS

INJECTED OPEN HOOK

Large sizes

BLI567 - BLI568

Hook 2 mm - 163 x 68 mm - PP

	Packaging				Quality		Slot				Characteristics			
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	Sales Unit
BLI567/1000		✗								✗	1000g	163x68	ADH 9	1000
BLI568/1000		✗								✗	1200g	163x68	FOAM 8	1000

BLI561 - BLI562

Hook 2 mm - 165 x 55 mm - PP

	Packaging				Quality		Slot				Characteristics			
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	Sales Unit
BLI561/1000		✗								✗	1000g	165x55	ADH 9	1000
BLI562/1000		✗								✗	1200g	165x55	FOAM 8	1000

BLI557


Hook 2 mm - 165 X 87 mm - PP

	Packaging				Quality		Slot				Characteristics			
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	Sales Unit
BLI557/1000		✗								✗	1000g	165x87	ADH 9	1000

1/HANG-TABS - INJECTED OPEN HOOKS - Large sizes


BLI709

Hook 2 mm - 166 x 35 mm - PP

	Packaging				Quality		Slot				Characteristics			
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	Sales Unit
 BLI709/1000		✗								✗	1000g	166x35	ADH 9	1000


BLI595 - BLI596

Hook 2 mm - 178 x 57 mm - PP

	Packaging				Quality		Slot				Characteristics			
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	Sales Unit
 BLI595/1000		✗								✗	1000g	178x57	ADH 9	1000
BLI596/1000		✗								✗	1200g	178x57	FOAM 8	1000


BLI553 - BLI552

Hook 2 mm - 69 x 70 mm - PP

	Packaging				Quality		Slot				Characteristics			
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	Sales Unit
 BLI553/1000		✗								✗	500g	69x70	ADH 9	1000
BLI552/1000		✗								✗	550g	69x70	FOAM 8	1000

BLI533 - BLI534

Hook 2 mm - 99 x 68 mm - PP

	Packaging				Quality		Slot				Characteristics			
	In reels	In bulk	In sheets	In blocks	Flexi	Rigid	Euro	Delta	Round	Hook	Recommended max. weight	Dimensions (mm)	Adhesive width (mm)	Sales Unit
 BLI533/1000		✗								✗	600g	99x68	ADH 9	1000
BLI534/1000		✗								✗	650g	99x68	FOAM 8	1000



EXPERT OPINION


HOW TO SPOT OUR ADHESIVES?



FLEXI
For good adhesion of lightweight products.



STANDARD
For a good hold of normal to heavy products.




FOAM
For irregular packaging.

BLI300-907


Bottle Neck 31 x 40 mm - PP



	Packaging				Slot		Characteristics					
	In reels	In bulk	In sheets	In blocks	Euro	Round	Recommended max. weight	Dimensions (mm)	Diameter (mm)	Adhesive width (mm)	Thickness PP	Sales Unit
BLI300-907		✗				✗	/	31x40	20.5	/	500μ	1000

BLI300-964


Bottle Neck 40 x 84 mm - PP



	Packaging				Slot		Characteristics					
	In reels	In bulk	In sheets	In blocks	Euro	Round	Recommended max. weight	Dimensions (mm)	Diameter (mm)	Adhesive width (mm)	Thickness pp	Sales Unit
BLI300-964		✗			✗		/	40x84	24	/	500μ	1000

BLI300-908

Bottle Neck 42 x 75 mm - PP



	Packaging				Slot		Characteristics					
	In reels	In bulk	In sheets	In blocks	Euro	Round	Recommended max. weight	Dimensions (mm)	Diameter (mm)	Adhesive width (mm)	Thickness pp	Sales Unit
BLI300-908		✗			✗		/	42x75	23.5	/	500μ	1000

BLI300-950

Bottle Neck 44 x 95 mm - PP




	Packaging				Slot		Characteristics					
	In reels	In bulk	In sheets	In blocks	Euro	Round	Recommended max. weight	Dimensions (mm)	Diameter (mm)	Adhesive width (mm)	Thickness PP	Sales Unit
BLI300-950		✗			✗		/	44x95	20.5	/	500μ	1000

1/HANG-TABS - BOTTLE NECK

BLI300-960


Bottle Neck 45 x 86 mm - PP



	Packaging				Slot		Characteristics					
	In reels	In bulk	In sheets	In blocks	Euro	Round	Recommended max. weight	Dimensions (mm)	Diameter (mm)	Adhesive width (mm)	Thickness PP	Sales Unit
BLI300-960		✗			✗		/	45x86	24.5	/	500μ	1000

BLI300-900

Bottle Neck 50 x 84 mm - PP



	Packaging				Slot		Characteristics					
	In reels	In bulk	In sheets	In blocks	Euro	Round	Recommended max. weight	Dimensions (mm)	Diameter (mm)	Adhesive width (mm)	Thickness PP	Sales Unit
BLI300-900		✗			✗		/	50x84	30	/	500μ	1000

BLI300-961


Bottle Neck 51 x 98 mm - PP



	Packaging				Slot		Characteristics					
	In reels	In bulk	In sheets	In blocks	Euro	Round	Recommended max. weight	Dimensions (mm)	Diameter (mm)	Adhesive width (mm)	Thickness PP	Sales Unit
BLI300-961		✗			✗		/	51x98	41	/	500μ	1000

BLI1003

Bottle Neck 80 x 90 mm - PET



	Packaging				Slot		Characteristics					
	In reels	In bulk	In sheets	In blocks	Euro	Round	Recommended max. weight	Dimensions (mm)	Diameter (mm)	Adhesive width (mm)	Thickness PP	Sales Unit
BLI1003/1000		✗				✗	/	80x90	37	ADH 18	250μ	1000



EXPERT OPINION

HOW TO CHOOSE YOUR BOTTLE NECK FOR AEROSOL?

- 1 - I measure my bottle neck or aerosol to know the right diameter.
- 2 - I select the type of slot according to my arm.
- 3 - I check the dimensions of my Hang Tab to confirm my choice.





TWISTERS & WOBBLERS


2/TWISTERS & WOBBLERS

ALUMINIUM TWISTER

Clean adhesives


WOB2/R/F

Twisters 13 x 75 mm - Aluminium - Non permanent adhesive

	Characteristics					Packaging	
	Dimensions (mm)	Material	Thickness	Number of adhesive	Type of adhesive	Type	Sales Unit
WOB2/R/F100	13X75	ALU	400μ	2	1 Foam+1 Clean	Sheet of 10	100
WOB2/R/F1000	13X75	ALU	400μ	2	1 Foam +1 Clean	Sheet of 10	1000


WOB2/R

Twisters 13 x 75 mm - Aluminium - Non permanent adhesive

	Characteristics					Packaging	
	Dimensions (mm)	Material	Thickness	Number of adhesive	Type of adhesive	Type	Sales Unit
WOB2/R/100	13X75	ALU	400μ	2	1 Foam +1 Clean	bag	100
WOB2/R/1000	13X75	ALU	400μ	2	1 Foam +1 Clean	Box	1000

WOB20/R

Twisters 17 x 90 mm - Aluminium - Non permanent adhesive

	Characteristics					Packaging	
	Dimensions (mm)	Material	Thickness	Number of adhesive	Type of adhesive	Type	Sales Unit
WOB20/R/100	17X90	ALU	400μ	3	2 Foam +1 Clean	Box	100


2/TWISTERS & WOBBLERS

ALUMINIUM TWISTER

Permanent adhesives


WOB2/F

Twisters 13 x 75 mm - Aluminium - Permanent adhesive

	Characteristics					Packaging	
	Dimensions (mm)	Material	Thickness	Number of adhesive	Type of adhesive	Type	Sales Unit
	13X75	ALU	400μ	2	2 Foam	Sheet of 10	100
WOB2/F100	13X75	ALU	400μ	2	2 Foam	Sheet of 10	100
WOB2/F1000	13X75	ALU	400μ	2	2 Foam	Sheet of 10	1000


WOB2

Twisters 13 x 75 mm - Aluminium - Permanent adhesive

	Characteristics					Packaging	
	Dimensions (mm)	Material	Thickness	Number of adhesive	Type of adhesive	Type	Sales Unit
	13X75	ALU	400μ	2	2 Foam	bag	100
WOB2/100	13X75	ALU	400μ	2	2 Foam	bag	100
WOB2/1000	13X75	ALU	400μ	2	2 Foam	box	1000

WOB23

Twisters 13 x 75 mm - Aluminium - Permanent adhesive

	Characteristics					Packaging	
	Dimensions (mm)	Material	Thickness	Number of adhesive	Type of adhesive	Type	Sales Unit
	13X75	ALU	400μ	3	3 Foam	bag	100
WOB23/100	13X75	ALU	400μ	3	3 Foam	bag	100
WOB23/1000	13X75	ALU	400μ	3	3 Foam	box	1000

2/TWISTERS & WOBBLERS


ALUMINIUM TWISTER

The megas




WOB22

Mega twisters 30 x 75 mm - Aluminium - Permanent adhesive

	Characteristics					Packaging	
	Dimensions (mm)	Material	Thickness	Number of adhesive	Type of adhesive	Type	Sales Unit
WOB22/100	30X75	ALU	600μ	2	2 Foam	bag	100
WOB22/1000	30X75	ALU	600μ	2	2 Foam	Box	1000


WOB22/R

Mega twisters 30 x 75 mm - Aluminium - Non permanent adhesive

	Characteristics					Packaging	
	Dimensions (mm)	Material	Thickness	Number of adhesive	Type of adhesive	Type	Sales Unit
WOB22/R/100	30X75	ALU	600μ	2	1 Foam +1 Clean	Bag	100
WOB22/R/1000	30X75	ALU	600μ	2	1 Foam +1 Clean	Box	1000

WOB3/2

Mega twisters 20 x 150 mm - Aluminium - Permanent adhesive

	Characteristics					Packaging	
	Dimensions (mm)	Material	Thickness	Number of adhesive	Type of adhesive	Type	Sales Unit
WOB3/2/100	20x150	ALU	600μ	2	2 Foam	Bag	100

2/TWISTERS & WOBBLERS


WOBBLER PET

Long

WOB12

Wobbler 30 x 208 mm - PET


	Characteristics					Packaging	
	Dimensions (mm)	Material	Thickness	Number of adhesive	Type of adhesive	Type	Sales Unit
WOB12/100	30x208	PET	380μ	2	2 Foam	Bag	100
WOB12/F100	30x208	PET	380μ	2	2 Foam	Sheet of 10	100



WOB12/R

Wobbler 30 x 208 mm - PET


	Characteristics					Packaging	
	Dimensions (mm)	Material	Thickness	Number of adhesive	Type of adhesive	Type	Sales Unit
WOB12/R/100	30x208	PET	380μ	2	1 Foam +1 Clean	Bag	100
WOB12/R/F100	30x208	PET	380μ	2	1 Foam +1 Clean	Sheet of 10	100
WOB12/R/F5000	30x208	PET	380μ	2	1 Foam +1 Clean	Sheet of 10	5000



WOB13

Wobbler 32 x 210 mm - PET

	Characteristics					Packaging	
	Dimensions (mm)	Material	Thickness	Number of adhesive	Type of adhesive	Type	Sales Unit
WOB13/100	32x210	PET	380μ	2	2 Foam	Bag	100
WOB13/F100	32x210	PET	380μ	2	2 Foam	Sheet of 10	100
WOB13/R/100	32x210	PET	380μ	2	1 Foam +1 Clean	Bag	100
WOB13/R/F100	32x210	PET	380μ	2	1 Foam +1 Clean	Sheet of 10	100
WOB13/R/F5000	32x210	PET	380μ	2	1 Foam +1 Clean	Sheet of 10	5000



ECO-RESPONSIBILITY AT THE HEART OF OUR CONCERNS...

EXPERT OPINION



All our wobblers are made of recycled clear PET (as are our Hang Tabs) so they can be recycled and their end-of-life can be predicted.

2/TWISTERS & WOBBLERS


WOBBLER PET

Short



WOB13/S


Twisters 32 x 150 mm - PET - Permanent Adhesive



	Characteristics					Packaging	
	Dimensions (mm)	Material	Thickness	Number of adhesive	Type of adhesive	Type	Sales Unit
WOB13/S/F100	32x150	PET	380μ	2	2 Foam	Sheet of 10	100

WOB14


Twisters 13 x 75 mm - PET - Permanent Adhesive



	Characteristics					Packaging	
	Dimensions (mm)	Material	Thickness	Number of adhesive	Type of adhesive	Type	Sales Unit
WOB14/F100	13X75	PET	380μ	2	2 standard	Sheet of 10	100
WOB14/F4000	13X75	PET	380μ	2	2 Standard	Sheet of 10	4000

WOB19


Twisters 32 x 120 mm - PET - Permanent adhesive - 2 positions



	Characteristics					Packaging	
	Dimensions (mm)	Material	Thickness	Number of adhesive	Type of adhesive	Type	Sales Unit
WOB19/100	33x120	PET	380μ	2	2 Standard	Box	100

WOB13/S/R


Twisters 32 x 150 mm - PET - Non permanent adhesive



	Characteristics					Packaging	
	Dimensions (mm)	Material	Thickness	Number of adhesive	Type of adhesive	Type	Sales Unit
WOB13/S/R/F100	32x150	PET	380μ	2	1 Foam +1 Clean	Sheet of 10	100
WOB13/S/R/F5000	32x150	PET	380μ	2	1 Foam +1 Clean	Sheet of 10	5000

WOB14/R/F100

Twisters 13 x 75 mm - PET - Non permanent adhesive



	Characteristics					Packaging	
	Dimensions (mm)	Material	Thickness	Number of adhesive	Type of adhesive	Type	Sales Unit
WOB14/R/F100	13X75	PET	380μ	2	1 Foam +1 Clean	Sheet of 10	100

AVIS DE L'EXPERT



HOW TO SELECT YOUR WOBBLER

STEP 1

To choose your wobbler, you must first decide if the type of product:
Has to be very strong and economical

» PERMANENT ADHESIVE

Must be more technical and can be removed without leaving any trace

» CLEAN ADHESIVE

STAGE 2



The heavier the added visual (5g), the more we advise using **wobblers that are small and wide** so as to retain the 'wobble' effect during air movements.



On the other hand, the lighter the visual (3g), **the longer and narrower the wobbler will be** so the more it will provide an attention-grabbing wobble.

2/TWISTERS & WOBBLERS

WOBBLER PET

Economical

WOB1

Wobbler 15 x 150 mm - PET - Permanent Adhesive

	Characteristics					Packaging	
	Dimensions (mm)	Material	Thickness	Number of adhesive	Type of adhesive	Type	Sales Unit
WOB1/F100	15x150	PET	250μ	2	2 Standard	Sheet of 10	100
WOB1/100	15x150	PET	250μ	2	2 Standard	Bag	100
WOB1/F5000	15x150	PET	250μ	2	2 Standard	Sheet of 10	5000

WOB11

Wobbler 32 x 210 mm - PET - Permanent Adhesive

	Characteristics					Packaging	
	Dimensions (mm)	Material	Thickness	Number of adhesive	Type of adhesive	Type	Sales Unit
WOB11/F5000	15x200	PET	380μ	2	2 Standard	Sheet of 10	5000
WOB11/F100	15x200	PET	380μ	2	2 Standard	Sheet of 10	100
WOB11/100	15x200	PET	380μ	2	2 Standard	Bag	100
WOB11/250/100	15x200	PET	250μ	2	2 Standard	Bag	100

WOB1/R - WOB11/R

Wobbler 15 x 150 mm - PET - Non permanent adhesive

	Characteristics					Packaging	
	Dimensions (mm)	Material	Thickness	Number of adhesive	Type of adhesive	Type	Sales Unit
WOB1/R/F100	15x150	PET	250μ	2	1 Foam +1 Clean	Sheet of 10	100
WOB1/R/100	15x150	PET	250μ	2	1 Standard+1 Clean	Bag	100
WOB11/R/F100	15x200	PET	380μ	2	1 Standard+1 Clean	Bag	100



CROSS **STRIPS**

3/CROSS MERCHANDISING

CROSS STRIPS - PP


With hooks



CROSS-MERCHANDISING STRIP WITH HOOKS

Large label holder - PP

	Characteristics								
	Thickness	Colour	Total length (mm)	Width (mm)	Number of ties	Space between ties	Label holder size	Foldable	Sales unit
SEL601-100	750μ	Natural	630 mm	35 mm	12	18 mm	100x85 mm	no	1000
SEL601-156	750μ	Natural	750 mm	40 mm	16	15 mm	100x85 mm	no	5000
SEL601-381	750μ	Natural	970 mm	35 mm	12	50 mm	100x85 mm	no	600



CROSS-MERCHANDISING STRIP WITH HOOKS

Medium, small and without label holder - PP

Characteristics								
Thickness	Colour	Total length (mm)	Width (mm)	Number of ties	Space between ties	Label holder size	Foldable	Sales unit

Medium, label holder


SEL601-251	750μ	Natural	952 mm	40 mm	20	17 mm	75 x 90 mm	no	600
------------	------	---------	--------	-------	----	-------	------------	----	-----

Small, label holder

SEL 5	500μ	Clear	430 mm	40 mm	8	20 mm	65 x 41 mm	no	600
SEL601-140	750μ	Natural	430 mm	40 mm	8	20 mm	65 x 41 mm	no	600

No label holder

SEL601-146	750μ	Natural	830 mm	40 mm	12	38 mm	/	yes	800
SEL151/R	750μ	Natural	/	35 mm	1500	38 mm	/	yes	1
SEL152	750μ	Natural	/	/	/	/	30 x 80 mm	x	100



3/CROSS MERCHANDISING

CROSS STRIPS - PP

For tubes



CROSS-MERCHANDISING STRIP FOR TUBES

Small label holder - PP

Characteristics								
Thickness	Colour	Total length (mm)	Width (mm)	Number of ties	Space between ties	Label holder size	Foldable	Sales unit

Small, label holder

SEL601-335	750μ	Natural	870 mm	50 mm	8	15 mm	70 x 70 cm	no	600
------------	------	---------	--------	-------	---	-------	------------	----	-----


Medium-sized label holders

SEL601-323	750μ	Natural	930 mm	30	12	15 mm	100 x 85 mm	no	500
SEL601-325	750μ	Natural	1030 mm	40	12	15 mm	100 x 85 mm	no	500

SEL601-335

SEL601-323

SEL601-325



3/CROSS MERCHANDISING

CROSS STRIPS

Injected or metal

CROSS-MERCHANDISING STRIP

Small label holder - Injected


	Characteristics								
	Thickness	Colour	Total length (mm)	Width (mm)	Number of ties	Space between ties	Label holder size	Foldable	Sales unit
SEL4	1500μ	Natural	625 mm	30 mm	12	20 mm	35 x 75 mm	yes	10
SEL1/101	2800 μ	White	790 mm	20 mm	12	20 mm	40 x 70 mm	3 parts	50

CROSS-MERCHANDISING STRIP


Small label holder - Metal

	Characteristics								
	Thickness	Colour	Total length (mm)	Width (mm)	Number of ties	Space between ties	Label holder size	Foldable	Sales unit
SEL20	5 mm	Beige	790 mm	10 mm	12	25 mm	35 x 65 mm	no	10


SEL4



SEL1/101



SEL20



3/CROSS MERCHANDISING

CROSS STRIPS

Accessories



Order your hooks
and cross strips directly
on our website by scanning this QR
Code with your
smartphone camera.



ASYMMETRIC METAL HOOK

Asymmetric S-hook



Characteristics

A Metal

	Height	wire ø	Pack of 100
HOO3	39 mm	2 mm	
HOO17	45 mm	2 mm	

B Metal

	Height	wire ø	Pack of 100
HOO31	32 mm	2 mm	
HOO32	40 mm	2 mm	
HOO33	65 mm	2 mm	Pack of 10
HOO28	110 mm	5 mm	

C Metal

	Height	wire ø	Pack of 100
HOO18	45 mm	2 mm	

D White PVC

	Height	wire ø	Pack of 100
HOO20N	50 mm	4 mm	

SPLIT RING

Metal - Oval



Characteristics

ø of the wire: 2.4 mm - Height: 65 mm

HOO15/35	ø ring: 35 mm	Pack of 100
----------	---------------	-------------



ADHESIVES

4/ADHESIVES

DOUBLE-SIDED REEL

The permanents

FOA3

Double-sided white polyethylene foam - Cartack 390

	Characteristics						
	Dimensions	Type of adhesive	Aspect	Hold	Thickness	Mechanical strength	Packaging
FOA3/9	9 mm x 25 m	Polyethylene foam	white	Permanent	1 mm	1300 CN/cm	1
FOA3/12	12 mm x 25 m	Polyethylene foam	white	Permanent	1 mm	1300 CN/cm	1
FOA3/19	19 mm x 25 m	Polyethylene foam	white	Permanent	1 mm	1300 CN/cm	1
FOA3/25	25 mm x 25 m	Polyethylene foam	white	Permanent	1 mm	1300 CN/cm	1
FOA3/38	38 mm x 25 m	Polyethylene foam	white	Permanent	1 mm	1300 CN/cm	1
FOA3/50	50 mm x 25 m	Polyethylene foam	white	Permanent	1 mm	1300 CN/cm	1

FOA3

Double-sided white polyethylene foam - Cartack 391

	Characteristics						
	Dimensions	Type of adhesive	Aspect	Hold	Thickness	Mechanical strength	Packaging
FOA3/1.6/12	12 mm x 33 m	acrylic	white	Permanent	1.6 mm	1300 CN/cm	1
FOA3/1.6/19	19 mm x 33 m	acrylic	white	Permanent	1.6 mm	1300 CN/cm	1
FOA3/1.6/25	25 mm x 33 m	acrylic	white	Permanent	1.6 mm	1300 CN/cm	1

FOA3

Double-sided white polyethylene foam - Cartack 4300

	Characteristics						
	Dimensions	Type of adhesive	Aspect	Hold	Thickness	Mechanical strength	Packaging
FOA3/0.8/12	12 mm x 66 m	synthetic rubber	white	Permanent	0.8 mm	1700 CN/cm	1
FOA3/0.8/19	19 mm x 66 m	synthetic rubber	white	Permanent	0.8 mm	1700 CN/cm	1

FOA17

Translucent non-woven double-sided - Cartack 1700

	Characteristics						
	Dimensions	Type of adhesive	Aspect	Hold	Thickness	Mechanical strength	Packaging
FOA17/6	6 mm x 50 m	synthetic rubber	translucent	Permanent	0.1 mm	700 CN/cm	1
FOA17/9	9 mm x 50 m	synthetic rubber	translucent	Permanent	0.1 mm	700 CN/cm	1
FOA17/12	12 mm x 50 m	synthetic rubber	translucent	Permanent	0.1 mm	700 CN/cm	1
FOA17/19	19 mm x 50 m	synthetic rubber	translucent	Permanent	0.1 mm	700 CN/cm	1
FOA17/25	25 mm x 50 m	synthetic rubber	translucent	Permanent	0.1 mm	700 CN/cm	1
FOA17/50	50 mm x 50 m	synthetic rubber	translucent	Permanent	0.1 mm	700 CN/cm	1

FOA18

Double-sided white PVC - Cartack 380

	Characteristics						
	Dimensions	Type of adhesive	Aspect	Hold	Thickness	Mechanical strength	Packaging
FOA18/9	9 mm x 50 m	acrylic	White	Permanent	0.24 mm	1200 CN/cm	1
FOA18/12	12 mm x 50 m	acrylic	White	Permanent	0.24 mm	1200 CN/cm	1
FOA18/19	19 mm x 50 m	acrylic	White	Permanent	0.24 mm	1200 CN/cm	1
FOA18/25	25 mm x 50 m	acrylic	White	Permanent	0.24 mm	1200 CN/cm	1

FOA23

Double-sided clear polyester - Cartack 350R

	Characteristics						
	Dimensions	Type of adhesive	Aspect	Hold	Thickness	Mechanical strength	Packaging
FOA23/6	6 mm x 50 m	acrylic	clear	Permanent	0.2 mm	1200 CN/cm	1
FOA23/9	9 mm x 50 m	acrylic	clear	Permanent	0.2 mm	1200 CN/cm	1
FOA23/12	12 mm x 50 m	acrylic	clear	Permanent	0.2 mm	1200 CN/cm	1
FOA23/19	19 mm x 50 m	acrylic	clear	Permanent	0.2 mm	1200 CN/cm	1
FOA23/25	25 mm x 50 m	acrylic	clear	Permanent	0.2 mm	1200 CN/cm	1



FOA19 - FOA5

Clear acrylic double-sided - Cartack 705T - 710T

	Characteristics					
	Dimensions	Type of adhesive	Hold	Thickness	Mechanical strength	Packaging
FOA19/12	12 mm x 33 m	Acrylic	Permanent	0.5 mm	1400 CN/cm	1
FOA19/19	19 mm x 33 m	Acrylic	Permanent	0.5 mm	1400 CN/cm	1
FOA19/25	25 mm x 33 m	Acrylic	Permanent	0.5 mm	1400 CN/cm	1
FOA5/12	12 mm x 33 m	Acrylic	Permanent	1 mm	1800 CN/cm	1
FOA5/19	19 mm x 33 m	Acrylic	Permanent	1 mm	1800 CN/cm	1
FOA5/25	25 mm x 33 m	Acrylic	Permanent	1 mm	1800 CN/cm	1

FOA36

Double-sided clear polypropylene - TESA-51970

	Characteristics					
	Dimensions	Type of adhesive	Hold	Thickness	Mechanical strength	Packaging
FOA36/9	9 mm x 50 m	Acrylic	Permanent	0.21 mm	1600 CN/cm	1
FOA36/12	12 mm x 50 m	Acrylic	Permanent	0.21 mm	1600 CN/cm	1
FOA36/19	19 mm x 50 m	Acrylic	Permanent	0.21 mm	1600 CN/cm	1
FOA36/25	25 mm x 50 m	Acrylic	Permanent	0.21 mm	1600 CN/cm	1
FOA36/38	38 mm x 50 m	Acrylic	Permanent	0.21 mm	1600 CN/cm	1
FOA36/50	50 mm x 50 m	Acrylic	Permanent	0.21 mm	1600 CN/cm	1

FOA37

Double-sided clear polypropylene - TESA-4965

	Characteristics					
	Dimensions	Type of adhesive	Hold	Thickness	Mechanical strength	Packaging
FOA37/12	12 mm x 50 m	Acrylic	Permanent	0.21 mm	2000 CN/cm	1
FOA37/19	19 mm x 50 m	Acrylic	Permanent	0.21 mm	2000 CN/cm	1
FOA37/25	25 mm x 50 m	Acrylic	Permanent	0.21 mm	2000 CN/cm	1

4/ADHESIVES

DOUBLE-SIDED REELS

Ultra strong permanent

FOA38

Double-sided clear HPX foam - Cartack 730T

	Characteristics					
	Dimensions	Type of adhesive	Hold	Thickness	Mechanical strength	Packaging
FOA38/12	12 mm x 10 m	synthetic rubber	Permanent	0.4 mm	6000 CN/cm	1
FOA38/19	19 mm x 10 m	synthetic rubber	Permanent	0.4 mm	6000 CN/cm	1
FOA38/25	25 mm x 10 m	synthetic rubber	Permanent	0.4 mm	6000 CN/cm	1

FOA24

Double-sided clear HPX foam - Cartack 720T

	Characteristics					
	Dimensions	Type of adhesive	Hold	Thickness	Mechanical strength	Packaging
FOA24/12	12 mm x 17 m	acrylic	Permanent	2 mm	2800 CN/cm	1
FOA24/19	19 mm x 17 m	acrylic	Permanent	2 mm	2800 CN/cm	1

FOA39

Double-sided grey HPX foam - Cartack 711G

	Characteristics					
	Dimensions	Type of adhesive	Hold	Thickness	Mechanical strength	Packaging
FOA39/19	19 mm x 33 m	acrylic	Permanent	1.1 mm	2500 CN/cm	1

EXPERT OPINION



DOUBLE-SIDED - STORAGE

To prevent deterioration of adhesives, we recommend stocking them in a dry area, at room temperature and out of direct light. Remember to ask us for samples in order to carry out tests under actual conditions.

DOUBLE-SIDED - INSTALLATION

To optimise their lasting hold we recommend that adhesives are applied at room temperature, on smooth and clean surfaces. Remember to apply pressure to the adhesive to optimise its curing.

4/ADHESIVES

DOUBLE-SIDED REEL

Removable

FOA20

Double-sided white cloth - Cartack 511 B

	Characteristics					
	Dimensions	Type of adhesive	Hold	Thickness	Mechanical strength	Packaging
FOA20/12	12 mm x 25 m	natural rubber	Removable	0.32 mm	510 CN/cm	1
FOA20/19	19 mm x 25 m	natural rubber	Removable	0.32 mm	510 CN/cm	1
FOA20/25	25 mm x 25 m	natural rubber	Removable	0.32 mm	510 CN/cm	1

FOA21

Double-sided clear film - Cartack 511 T

	Characteristics					
	Dimensions	Type of adhesive	Hold	Thickness	Mechanical strength	Packaging
FOA21/12	12 mm x 25 m	acrylic	Removable	0.5 mm	1000 CN/cm	1
FOA21/15	15 mm x 25 m	acrylic	Removable	0.5 mm	1000 CN/cm	1
FOA21/19	19 mm x 25 m	acrylic	Removable	0.5 mm	1000 CN/cm	1
FOA21/25	25 mm x 25 m	acrylic	Removable	0.5 mm	1000 CN/cm	1

FOA22

Double-sided clear polyester film - Cartack 300N

	Characteristics					
	Dimensions	Type of adhesive	Hold	Thickness	Mechanical strength	Packaging
FOA22/12	12 mm x 50 m	acrylic	Permanent/repositionable	0.11 mm	600-350 CN/cm	1
FOA22/19	19 mm x 50 m	acrylic	Permanent/repositionable	0.11 mm	600-350 CN/cm	1
FOA22/25	25 mm x 50 m	acrylic	Permanent/repositionable	0.11 mm	600-350 CN/cm	1
FOA22/38	38 mm x 50 m	acrylic	Permanent/repositionable	0.11 mm	600-350 CN/cm	1

4/ADHESIVES

DOUBLE-SIDED REELS

For carpets

FOA44

Cartack double-sided carpet - 2-sided adhesive

	Characteristics					
	Dimensions	Type of adhesive	Hold	Thickness	Mechanical strength	Packaging
FOA44/R/50	50 mm x 25 m	acrylic rubber	Permanent/non-permanent	0.14 mm	1400/250CN/cm	1
FOA44/50	50 mm x 25 m	synthetic rubber	Permanent	0.18 mm	1850CN/cm	1

FOA46

Ultramarque gaffer cloth - 1 side adhesive

	Characteristics						
	Dimensions	Type of adhesive	Hold	Colour	Thickness	Mechanical strength	Packaging
FOA46/BK	50 mm x 50 m	synthetic rubber	Permanent	Black	0.31 mm	500CN/cm	1
FOA46/WH	50 mm x 50 m	synthetic rubber	Permanent	White	0.31 mm	500CN/cm	1
FOA46/AR	50 mm x 50 m	synthetic rubber	Permanent	Silver	0.31 mm	500CN/cm	1
FOA46/RE	50 mm x 50 m	synthetic rubber	Permanent	Red	0.31 mm	500CN/cm	1
FOA46/BL	50 mm x 50 m	synthetic rubber	Permanent	Blue	0.31 mm	500CN/cm	1
FOA46/GR	50 mm x 50 m	synthetic rubber	Permanent	Green	0.31 mm	500CN/cm	1

FOA41


Cartack marking tape - 1 side adhesive

	Characteristics						
	Dimensions	Type of adhesive	Hold	Colour	Thickness	Mechanical strength	Packaging
FOA41/RE	50 mm x 33 m	rubber	Non-permanent	Red	0.13 mm	240CN/cm	1
FOA41/OR	50 mm x 33 m	rubber	Non-permanent	Orange	0.13 mm	240CN/cm	1
FOA41/YE	50 mm x 33 m	rubber	Non-permanent	Yellow	0.13 mm	240CN/cm	1

4/ADHESIVES

DOUBLE-SIDED PADS

Permanent



FOA34 - FOA1

Double-sided white polyethylene foam - Cartack 390

	Characteristics					
	Dimensions	Type of adhesive	Hold	Thickness	Mechanical strength	Packaging
FOA34/15	Ø 15 mm	acrylic	Permanent	1 mm	1300 CN/cm	1000
FOA34/20	Ø 20 mm	acrylic	Permanent	1 mm	1300 CN/cm	1000
FOA34/25	Ø 25 mm	acrylic	Permanent	1 mm	1300 CN/cm	1000
FOA1/R20	Ø 20 mm	acrylic	Permanent	0.8 mm	1300 CN/cm	500

	Characteristics					
	Dimensions	Type of adhesive	Hold	Thickness	Mechanical strength	Packaging
FOA1/A	12 x 12 mm	acrylic	Permanent	1 mm	1300 CN/cm	1000
FOA1/A/15	15 x 15 mm	acrylic	Permanent	1 mm	1300 CN/cm	1000
FOA1/A/19	19 x 19 mm	acrylic	Permanent	1 mm	1300 CN/cm	1000
FOA1/B	12 x 25 mm	acrylic	Permanent	1 mm	1300 CN/cm	1000
FOA1/C	25 x 25 mm	acrylic	Permanent	1 mm	1300 CN/cm	500
FOA1/D	20 x 40 mm	acrylic	Permanent	1 mm	1300 CN/cm	1000

FOA35

Double-sided clear polypropylene film - Tesa 51970

	Characteristics					
	Dimensions	Type of adhesive	Hold	Thickness	Mechanical strength	Packaging
FOA35/10	Ø 10 mm	acrylic	Permanent	0.21 mm	1600 CN/cm	1000
FOA35/20	Ø 20 mm	acrylic	Permanent	0.21 mm	1600 CN/cm	250
FOA35/20/B	Ø 20 mm	acrylic	Permanent	0.21 mm	1600 CN/cm	1000

4/ADHESIVES

DOUBLE-SIDED PADS

Removable


FOA29 - FOA4/RT - FOA10

Double-sided pad - Clear foam - Cartack 705T

	Characteristics						
	Dimensions	Type of adhesive	Hold	Thickness	Mechanical strength	Tongue	Packaging
							
FOA29/15	Ø 15 mm	Acrylic	Removable	0.5 mm	1400 CN/cm		250
FOA29/15/1000	Ø 15 mm	Acrylic	Removable	0.5 mm	1400 CN/cm		1000
FOA29/19/1000	Ø 19 mm	Acrylic	Removable	0.5 mm	1400 CN/cm	✗	1000
FOA29/20	Ø 20 mm	Acrylic	Removable	0.5 mm	1400 CN/cm		250
FOA29/25	Ø 25 mm	Acrylic	Removable	0.5 mm	1400 CN/cm		250
FOA29/25/1000	Ø 25 mm	Acrylic	Removable	0.5 mm	1400 CN/cm		1000
FOA4/RT15	Ø 15 mm	Acrylic	Removable	0.5 mm	1300 CN/cm	✗	5000
FOA10/25	25 x 25 mm	Acrylic	Removable	0.5 mm	1300 CN/cm	✗	240

FOA28

Double-sided pad - clear film - Cartack 715T

	Characteristics						
	Dimensions	Type of adhesive	Hold	Thickness	Mechanical strength	Tongue	Packaging
							
FOA28/B	Ø 15 mm	Acrylic	Removable	0.2 mm	900 CN/cm	✗	1000
FOA28/R/200	Ø 19 mm	Acrylic	Removable	0.2 mm	900 CN/cm	✗	200
FOA28/R/1000	Ø 19 mm	Acrylic	Removable	0.5 mm	900 CN/cm	✗	1000

FOA33

Double-sided pad - Clear foam - Cartack 708TARC

	Characteristics						
	Dimensions	Type of adhesive	Hold	Thickness	Mechanical strength	Tongue	Packaging
							
FOA33/400	19 x 19 mm	acrylic	Removable	0.8 mm	350 CN/cm		Bag 400
FOA33/200	Ø 19 mm	acrylic	Removable	0.8 mm	350 CN/cm	✗	200
FOA33/1000	Ø 19 mm	acrylic	Removable	0.8 mm	350 CN/cm	✗	1000

FOA41 - FOA42

Double-sided pad - Polyethylene film - Cartack 511T

	Characteristics						
	Dimensions	Type of adhesive	Hold	Thickness	Mechanical strength	Tongue	Packaging
FOA41/19/200	19 x 19 mm	acrylic	Removable	0.5 mm	1000 CN/cm		200
FOA41/19/1000	19 x 19 mm	acrylic	Removable	0.5 mm	1000 CN/cm		1000
FOA42/19/200	Ø 19 mm	acrylic	Removable	0.5 mm	1000 CN/cm	✗	200
FOA42/19/1000	Ø 19 mm	acrylic	Removable	0.5 mm	1000 CN/cm	✗	1000
FOA42/25/200	Ø 25 mm	acrylic	Removable	0.5 mm	1000 CN/cm		200
FOA42/25/1000	Ø 25 mm	acrylic	Removable	0.5 mm	1000 CN/cm		1000

FOA43

Double-sided pad - Clear foam - Cartack 611T

	Characteristics						
	Dimensions	Type of adhesive	Hold	Thickness	Mechanical strength	Tongue	Packaging
FOA43/19/200	Ø 19 mm	acrylic	Removable	0.4 mm	220 CN/cm	✗	200
FOA43/19/1000	Ø 19 mm	acrylic	Removable	0.4 mm	220 CN/cm	✗	1000
FOA43/25/200	Ø 25 mm	acrylic	Removable	0.4 mm	220 CN/cm		200
FOA43/25/1000	Ø 25 mm	acrylic	Removable	0.4 mm	220 CN/cm		1000



EXPERT OPINION

HOW TO CHOOSE YOUR DOUBLE-SIDED TAPE



REPOSITIONABLE:

- Non-permanent attachment.
- They can be glued, unglued and re-glued several times, retaining their adhesive strength and without leaving any trace when removed.

REMOVABLE
(PEEL-OFF):

- Non-permanent attachment.
- They can be glued and unglued only once without leaving any trace when removed.



PERMANENT:

- These are designed for permanent attachments.
- They can only be glued once.
- They leave traces on removal which can be removed with a special glue cleaner.

4/ADHESIVES SPECIFIC

Bag closures and
mask attachments

DOT3

Adhesive drops for inserts

	Characteristics				
	Dimensions	Type of adhesive	Hold	Thickness	Packaging
 DOT3/ET	Ø 10 mm	hot melt	Removable	1 mm	5000
DOT3/MT	Ø 10 mm	hot melt	Semi-permanent	1 mm	5000
DOT3/UT	Ø 10 mm	hot melt	Permanent	1 mm	5000


FOA8

1-sided adhesive pad - Closing & locking

	Characteristics					
	Dimensions	Type of adhesive	Hold	Thickness	Tongue	Packaging
 FOA8/R20	Ø 20 mm	Acrylic	Permanent	0.5 mm		5000
FOA8/R20R	Ø 20 mm	Acrylic	Removable	0.5 mm		1000
FOA8/R25R	Ø 25 mm	Acrylic	Removable	0.5 mm		2000
FOA8/R50	Ø 50 mm	Acrylic	Permanent	0.5 mm		2000

BLI340

1-sided adhesive pad - Reinforcement for mask and closure

	Characteristics				
	Dimensions	Type of adhesive	Hold	Thickness	Packaging
 BLI340/2000	25x50	Standard 50mm	Permanent	75µ	✗ 2000

4/ADHESIVES DISPENSERS & transfer reels

REEL 3M-ATG 700

For transfer reels




FOA13

	Thickness	Packaging
	For transfer reel of: 6 - 9 - 12 - 19 mm	1

FOA25

Pour ATG - 3M® 904 dispenser




FOA25/12

FOA25/19

Characteristics					
	Dimensions	Aspect	Thickness	Mechanical strength	Packaging
FOA25/12	12 mm x 25 m	translucent	0.05 mm	270CN/cm	1
FOA25/19	19 mm x 25 m	translucent	0.05 mm	270CN/cm	1

FOA26

Pour ATG - 3M® 924 dispenser



FOA26/12

FOA26/19

Characteristics					
	Dimensions	Aspect	Thickness	Mechanical strength	Packaging
FOA26/12	12 x 55 m	translucent	0.05 mm	270CN/cm	1
FOA26/19	19 x 55 m	translucent	0.05 mm	270CN/cm	1

FOA27

Pour ATG - 3M® 969 dispenser



FOA27/12


FOA27/19

Characteristics					
	Dimensions	Aspect	Thickness	Mechanical strength	Packaging
FOA27/12	12 x 33 m	translucent	0.13 mm	820CN/cm	1
FOA27/19	19 x 33 m	translucent	0.13 mm	820CN/cm	1

4/ADHESIVES SELF-GRIPPING The pads

STR10

Self gripping adhesive pad

	Characteristics			
	Dimensions	Colours	Part	Packaging
				
STR10/13	Ø 13 mm	White	Loop	1500
STR10/13H	Ø 13 mm	White	Hook	1500
STR10/13/Z	Ø 13 mm	Black	Loop	1500
STR10/13H/Z	Ø 13 mm	Black	Hook	1500
STR10/19	Ø 19 mm	White	Loop	1100
STR10/19/H	Ø 19 mm	White	Hook	1100
STR10/19/Z	Ø 19 mm	Black	Loop	1100
STR10/19H/Z	Ø 19 mm	Black	Hook	1100

STR10 - STR11 - STR14

Dispenser box of Velcro® adhesive pads

	Characteristics			
	Dimensions	Colours	Part	Packaging
				
STR10/D/19	Ø 19 mm	White	Loop-hook	200 pairs
				
STR14	35 x 12 mm	White	Loop-hook	550 pairs
STR11	35 x 12 mm	White	Loop-hook	3300 pairs

4/ADHESIVES

SELF-GRIPPING

Adhesive tapes

STR20

Self gripping adhesive tape

	Characteristics			
	Dimensions	Colours	Part	Packaging
 STR20/20	20 mm x 25 m	White	Loop	1
STR20/20H	20 mm x 25 m	White	Hook	1
STR20/20/Z	20 mm x 25 m	Black	Loop	1
STR20/20H/Z	20 mm x 25 m	Black	Hook	1
STR20/25	25 mm x 25 m	White	Loop	1
STR20/25H	25 mm x 25 m	White	Hook	1
STR30/25	30 mm x 25 m	White	Loop	1
STR30/25H	30 mm x 25 m	White	Hook	1
STR20/50	50 mm x 25 m	White	Loop	1
STR20/50H	50 mm x 25 m	White	Hook	1

STR20/D

Velcro® adhesive tape dispenser box

	Characteristics			
	Dimensions	Colours	Part	Packaging
 STR20/D/20	20 mm x 25 m	White	Loop-hook	1



EXPERT OPINION

HOW TO PREPARE THE INSTALLATION SURFACE

To ensure good adhesion of the double-sided or transfer tape you should prepare the surface by **dusting and degreasing it with the isopropyl alcohol shown on page 59.**

STR21

Mixed Velcro® tape

	Characteristics			
	Dimensions	Colours	Part	Packaging
STR21	10 mm x 20 m	Translucent	Loop-hook	1

STR22

Velcro® adhesive pad tape, mixed

	Characteristics			
	Dimensions	Colours	Part	Packaging
STR22	10 mm x 20 mm	Translucent	Loop-hook	3840

STR23

Carafix adhesive pad tape, mixed

	Characteristics			
	Dimensions	Colours	Part	Packaging
STR23	20 mm x 25 m	White	Loop-hook	1

MAG12

Neodymium magnetic adhesive pad

	Characteristics			
	Dimensions	Colours	Magnetic strength	Packaging
MAG12	Ø 9.5 mm	0.75 mm	350 gr	100 pairs
MAG12/L	Ø 9.5 mm	1.5 mm	750 gr	100 pairs

4/ADHESIVES

MAGNETIC REELS

Adhesives



Order your magnetic reels directly on our website by scanning this QR code with your smartphone camera.



MAG30

Permanent adhesive magnetic reel

	Characteristics						
	Width	Length	Thickness	Magnetic strength	Type of adhesive	Hold strength	Packaging
							
MAG30/12	12.7 mm	10 m	1.5 mm	80 g/cm ²	Non-woven	720 CN/cm	1
MAG30/12/30	12.7 mm	30 m	1.5 mm	80 g/cm ²	Non-woven	720 CN/cm	1
MAG30/19	19 mm	10 m	1.5 mm	80 g/cm ²	Non-woven	720 CN/cm	1
MAG30/19/30	19 mm	30 m	1.5 mm	80 g/cm ²	Non-woven	720 CN/cm	1
MAG30/25	25 mm	10 m	1.5 mm	80 g/cm ²	Non-woven	720 CN/cm	1
MAG30/25/30	25 mm	30 m	1.5 mm	80 g/cm ²	Non-woven	720 CN/cm	1
MAG30/50	50 mm	10 m	1.5 mm	80 g/cm ²	Non-woven	720 CN/cm	1
MAG30/50/30	50 mm	30 m	1.5 mm	80 g/cm ²	Non-woven	720 CN/cm	1

MAG40

Permanent magnetic adhesive reel - Special PET/PVC

	Characteristics						
	Width	Length	Thickness	Magnetic strength	Type of adhesive	Hold strength	Packaging
							
MAG40/12	12 mm	30 m	1.5 mm	80 g/cm ²	Polyester	1200 CN/cm	1
MAG40/19	19 mm	30 m	1.5 mm	80 g/cm ²	Polyester	1200 CN/cm	1
MAG40/25	25 mm	30 m	1.5 mm	80 g/cm ²	Polyester	1200 CN/cm	1

MAG15

Adhesive metal reel

	Characteristics			
	Width	Length	Thickness	Packaging
				
MAG15/35	35 mm	10 m	0.65 mm	1

FOA50 - FOA51

Surface degreaser in spray or bottle

	Characteristics	
	capacity	Packaging
FOA50	400 ml	1
FOA51	1l	1

FOA52

3M® VHB primer

	Characteristics	
	capacity	Packaging
FOA52	236 ml	1

FOA53

Surface wiper

	Characteristics		
	Dimensions wipes	Material	Packaging
FOA53	230 x 500 mm	70% Viscose - 30% Polyester	Box of 100

FOA54

Rubber application wheel

	Characteristics		
	Width reel	Reel diameter	Packaging
FOA54	45 mm	35 mm	1

INDEX BY REFERENCE

REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE
BLI5/100	9	BLI381/1000	10	FOA1/A/19	48	FOA29/25	49	MAG40/12	56
BLI5/500	9	BLI382/2000	8	FOA1/B	48	FOA29/25/1000	49	MAG40/19	56
BLI5/1000	9	BLI383/1000	10	FOA1/C	48	FOA33/200	49	MAG40/25	56
BLI6/1000	21	BLI384/2000	6	FOA1/D	48	FOA33/400	49	SEL1/101	39
BLI11/1000	16	BLI385/2000	10	FOA1/R20	48	FOA33/1000	49	SEL4	39
BLI154/1000	15	BLI386/2500	10	FOA3/0.8/12	42	FOA34/15	48	SEL 5	37
BLI155/2000	15	BLI388/3000	12	FOA3/0.8/19	42	FOA34/20	48	SEL20	39
BLI158/4000	16	BLI389/5000	12	FOA3/1.6/12	42	FOA34/25	48	SEL151/R	37
BLI162/1000	17	BLI391/1000	14	FOA3/1.6/19	42	FOA35/10	48	SEL152	37
BLI163/1500	17	BLI391/3000	14	FOA3/1.6/25	42	FOA35/20	48	SEL601-100	36
BLI167/2500	17	BLI394/1000	13	FOA3/9	42	FOA35/20/B	48	SEL601-140	37
BLI170/4000	17	BLI394/5000	13	FOA3/12	42	FOA36/9	44	SEL601-146	37
BLI174/1000	12	BLI395/3000	18	FOA3/19	42	FOA36/12	44	SEL601-156	36
BLI174/4000	12	BLI396/1000	18	FOA3/25	42	FOA36/19	44	SEL601-251	37
BLI177/4000	15	BLI398/1000	17	FOA3/38	42	FOA36/25	44	SEL601-323	38
BLI178/3000	8	BLI398/4000	17	FOA3/50	42	FOA36/38	44	SEL601-325	38
BLI179/4000	8	BLI399/2500	17	FOA4/RT15	49	FOA36/50	44	SEL601-335	38
BLI184/2000	15	BLI409/1000	18	FOA5/12	44	FOA37/12	44	SEL601-381	36
BLI185/4000	19	BLI409/4000	18	FOA5/19	44	FOA37/19	44	STR10/13	53
BLI196/4000	16	BLI410/2500	18	FOA5/25	44	FOA37/25	44	STR10/13H	53
BLI197/14000	16	BLI421/1000	18	FOA8/R20	51	FOA38/12	45	STR10/13H/Z	53
BLI300-900	26	BLI421/2500	18	FOA8/R20R	51	FOA38/19	45	STR10/13/Z	53
BLI300-907	25	BLI423/5000	11	FOA8/R25R	51	FOA38/25	45	STR10/19	53
BLI300-908	25	BLI424/2500	8	FOA8/R50	51	FOA39/19	45	STR10/19/H	53
BLI300-950	25	BLI425/3000	8	FOA10/25	49	FOA41/19/200	50	STR10/19H/Z	53
BLI300-960	26	BLI432/1000	6	FOA13	52	FOA41/19/1000	50	STR10/19/Z	53
BLI300-961	26	BLI432/3000	6	FOA17/6	43	FOA41/OR	47	STR10/D/19	53
BLI300-964	25	BLI435/3000	15	FOA17/9	43	FOA41/RE	47	STR11	53
BLI303/2000	12	BLI498/4000	18	FOA17/12	43	FOA41/YE	47	STR14	53
BLI305/1000	12	BLI502/1000	21	FOA17/19	43	FOA42/19/200	50	STR20/20	54
BLI311/1000	12	BLI515/1000	21	FOA17/25	43	FOA42/19/1000	50	STR20/20H	54
BLI311/5000	12	BLI516/1000	21	FOA17/50	43	FOA42/25/200	50	STR20/20H/Z	54
BLI312/2000	12	BLI521/1000	21	FOA18/9	43	FOA42/25/1000	50	STR20/20/Z	54
BLI313/2000	12	BLI522/1000	21	FOA18/12	43	FOA43/19/200	50	STR20/25	54
BLI315/2000	7	BLI525/1000	22	FOA18/19	43	FOA43/19/1000	50	STR20/25H	54
BLI321/100	7	BLI526/1000	22	FOA18/25	43	FOA43/25/200	50	STR20/50	54
BLI321/2000	7	BLI531/1000	22	FOA19/12	44	FOA43/25/1000	50	STR20/50H	54
BLI323/1000	7	BLI532/1000	22	FOA19/19	44	FOA44/50	47	STR20/D/20	54
BLI325/1000	6	BLI533/1000	24	FOA19/25	44	FOA44/R/50	47	STR21	55
BLI340/2000	51	BLI534/1000	24	FOA20/12	46	FOA46/AR	47	STR22	55
BLI344/1000	19	BLI541/1000	22	FOA20/19	46	FOA46/BK	47	STR23	55
BLI344/4000	19	BLI542/1000	22	FOA20/25	46	FOA46/BL	47	STR30/25	54
BLI351/1000	14	BLI552/1000	24	FOA21/12	46	FOA46/GR	47	STR30/25H	54
BLI352/1000	14	BLI553/1000	24	FOA21/15	46	FOA46/RE	47	WOB1/100	34
BLI353/1000	14	BLI557/1000	23	FOA21/19	46	FOA46/WH	47	WOB1/F100	34
BLI353/2000	14	BLI561/1000	23	FOA21/25	46	FOA50	57	WOB1/F5000	34
BLI354/1000	14	BLI562/1000	23	FOA22/12	46	FOA51	57	WOB1/R/100	34
BLI359/4000	10	BLI567/1000	23	FOA22/19	46	FOA52	57	WOB1/R/F100	34
BLI360/100	10	BLI568/1000	23	FOA22/25	46	FOA53	57	WOB2/100	29
BLI360/500	10	BLI595/1000	24	FOA22/38	46	FOA54	57	WOB2/1000	29
BLI360/1000	10	BLI596/1000	24	FOA23/6	43	HOO3	40	WOB2/F100	29
BLI360/2000	10	BLI709/1000	24	FOA23/9	43	HOO15/35	40	WOB2/F1000	29
BLI360/4000	10	BLI1002/2000	14	FOA23/12	43	HOO17	40	WOB2/R/100	28
BLI361/1000	13	BLI1003/1000	26	FOA23/19	43	HOO18	40	WOB2/R/1000	28
BLI361/3000	13	BLI1004/100	9	FOA23/25	43	HOO20N	40	WOB2/R/F100	28
BLI362/2500	11	BLI1004/500	9	FOA24/12	45	HOO28	40		
BLI363/2000	20	BLI1004/1000	9	FOA24/19	45	HOO31	40		
BLI364/1000	8	BLI1011/1000	11	FOA25/12	52	HOO32	40		
BLI364/2000	8	BLI9001/1000	22	FOA25/19	52	HOO33	40		
BLI364/4000	8	BLI9002/1000	22	FOA26/12	52	MAG12	55		
BLI366/2500	9	BLI 55429 / 1000	6	FOA26/19	52	MAG12/L	55		
BLI370/1000	19	BLI 55429 / 10000	6	FOA27/12	52	MAG15/35	56		
BLI370/2000	19	BLI55430/1000	11	FOA27/19	52	MAG30/12	56		
BLI371/2000	19	BLI55431/1000	13	FOA28/B	49	MAG30/12/30	56		
BLI373/5000	20	BLI550185/1000	19	FOA28/R/200	49	MAG30/19	56		
BLI374/3000	19	DOT3/ET	51	FOA28/R/1000	49	MAG30/19/30	56		
BLI375/6000	20	DOT3/MT	51	FOA29/15	49	MAG30/25	56		
BLI377/2500	10	DOT3/UT	51	FOA29/15/1000	49	MAG30/25/30	56		
BLI380/1000	7	FOA1/A	48	FOA29/19/1000	49	MAG30/50	56		
BLI380/2500	7	FOA1/A/15	48	FOA29/20	49	MAG30/50/30	56		

INDEX BY NAME

NAME	PAGE	NAME	PAGE
Euroslot hang tabs 41 x 35 mm - PET		6 Twisters 17 x 90 mm - Aluminium - Non-permanent adhesive	28
Euroslot hang tabs 40 x 35 mm - PET		6 Twisters 13 x 75 mm - Aluminium - Permanent adhesive	29
Euroslot hang tabs 42 x 40 mm - PET		6 Twisters 13 x 75 mm - Aluminium - Permanent adhesive	29
Deltaslot hang tabs 40 x 35 mm - PET		7 Twisters 13 x 75 mm - Aluminium - Permanent adhesive	29
Deltaslot hang tabs 40 x 35 mm - PET		7 Mega twisters 30 x 75 mm - Aluminium - Permanent adhesive	30
Double arm hang tabs 30 x 40 mm - PET		7 Mega twisters 30 x 75 mm - Aluminium - Non permanent adhesive	30
Deltaslot hang tabs 44 x 37 mm - PET		8 Mega twisters 20 x 150 mm - Aluminium - Permanent adhesive	30
Euroslot hang tabs 44 x 37 mm - PET		8 Wobbler 30 x 208 mm - PET	31
Deltaslot hang tabs 40 x 35 mm - PET		8 Wobbler 30 x 208 mm - PET	31
Deltaslot hang tabs 45 x 45 mm - PET		8 Wobbler 32 x 210 mm - PET	31
Deltaslot hang tabs in blocks 50 x 50 mm - PET		9 Twisters 32 x 150 mm - PET - Permanent Adhesive	32
Euroslot hang tabs in blocks 50 x 50 mm - PET		9 Twisters 13 x 75 mm - PET - Permanent Adhesive	32
Euroslot hang tabs 50 x 38 mm - PET		9 Twisters 32 x 120 mm - PET - Permanent adhesive - 2 positions	32
Euroslot hang tabs 50 x 50 mm - PET		10 Twisters 32 x 150 mm - PET - Non-Permanent Adhesive	33
Euroslot hang tabs 50 x 40 mm - PET		10 Twisters 13 x 75 mm - PET - Non-Permanent Adhesive	33
Euroslot hang tabs 50 x 50 mm - PET		10 Wobbler 15 x 150 mm - PET - Permanent Adhesive	34
Round hole hang tabs 20 x 31 mm - PET		11 Wobbler 32 x 210 mm - PET - Permanent adhesive	34
Round slot hang tabs in blocks 25 x 50 mm - PET		11 Wobbler 15 x 150 mm - PET - Non-Permanent Adhesive	34
Round hole hang tabs 25 x 50 mm - PET		11 Large label holder - PP	36
Round hole hang tabs 30 x 50 mm - PET		11 Medium label holder	37
Round hole hang tabs 25 x 35 mm - PET		12 Small label holder	37
Round hole hang tabs 15 x 40 mm - PET		12 No label holder	37
Round hole hang tabs 16 x 40 mm - PET		12 Small label holder - Injected	39
Round hole hang tabs 20 x 32 mm - PET		12 Small label holder - Metal	39
Hang tabs with hooks 28 x 44 mm - PET		13 Asymmetric S-hook	40
Hang tabs with hooks 22 x 35 mm - PET		13 Metal - Oval	40
Hang tabs with hooks 30 x 45 mm - PET		13 Double-sided white polyethylene foam - Cartack 390	42
Hang tabs with hooks 27 x 40mm - PET		14 White double-sided polyethylene foam - Cartack 391	42
Hang tabs with hooks 27 x 40 mm - PET		14 White double-sided polyethylene foam - Cartack 4300	42
Hang tabs with hooks 28 x 45mm - PET		14 Translucent non-woven double-sided - Cartack 1700	43
Euroslot rider Hang tabs 50 x 100 mm - PET		15 Double-sided white PVC - Cartack 380	43
Euroslot rider Hang tabs 50 x 80 & 100 mm - PET		15 Double-sided clear polyester - Cartack 350R	43
Pantou hang tabs 15 x 200mm - PET		16 Double-sided acrylic clear - Cartack 705T - 710T	44
Euroslot hang tabs 50 x 47mm - PET		16 Double-sided clear polypropylene - TESA-51970	44
Euroslot hang tabs 50 x 47 mm - PET		16 Transparent double-sided polyethylene - TESA-4965	44
Deltaslot flat hang tabs 60 x 32 mm - PET		17 Transparent double-sided HPX foam - Cartack 730T	45
Deltaslot flat hang tabs 62 x 51 mm - PET		17 Transparent double-sided HPX foam - Cartack 720T	45
Euroslot flat hang tabs 70 x 40 mm - PET		17 Double-sided grey HPX foam - Cartack 711G	45
Euroslot flat hang tabs 52 x 35 mm - PET		18 Double-sided white cloth - Cartack 511 B	46
Euroslot flat hang tabs 62 x 32 mm - PET		18 Double-sided clear film - Cartack 511 T	46
Round slot flat hang tabs 45 x 43 mm - PET		18 Double-sided clear polyester film - Cartack 300N	46
Flat hang tabs with hook 45 x 43 mm - PET		18 Cartack double-sided carpet - 2-sided adhesive	47
Deltaslot reinforcement 45 x 33 mm - PET		19 Ultramarque gaffer cloth - 1 side adhesive	47
Euroslot reinforcement 45 x 28 mm - PET		19 Cartack marking tape - 1 side adhesive	47
Euroslot stiffener 50 x 40 mm - PET		19 Double-sided white polyethylene foam - Cartack 390	48
Reinforcement for upper part 32 x 19 mm - PET		20 Double-sided pad - clear foam - Cartack 705T	49
Stiffener for upper part 45 x 18 mm - PET		20 Double-sided pad - clear film - Cartack 715T	49
Reinforcement for double arm 50 x 18 mm - PET		20 Double-sided pad - clear foam - Cartack 708TARC	49
Hook 2mm - 18 x 41 mm - PP		21 Double-sided pad - polyethylene film - Cartack 511T	50
Hook 2mm - 25 x 50 mm - PP		21 Double-sided pad - Transparent foam - Cartack 611T	50
Hook 2mm - 36 x 32 mm - PP		21 Adhesive drops for inserts	51
Hook 2mm - 50 x 32 mm - PP		21 1-sided adhesive pad - Closing & locking	51
Hook 2mm - 60 x 87 mm - PP		22 1-sided adhesive pad - Reinforcement for mask and closure	51
Hook 2mm - 66 x 32 mm - PP		22 For transfer reel	52
Hook 2mm - 64 x 60 mm - PP		22 For ATG dispenser - 3M® 904	52
Hook 2mm - 65 x 49 mm - PP		22 For ATG dispenser - 3M® 924	52
Hook 2mm - 163 x 68 mm - PP		23 For ATG dispenser - 3M® 969	52
Hook 2mm - 165 x 55 mm - PP		23 Self-gripping adhesive pad	53
Hook 2mm - 165 x 87 mm - PP		23 Dispenser box for Velcro® adhesive pads	53
Hook 2mm - 166 x 35 mm - PP		24 Self-gripping adhesive tape	54
Hook 2mm - 178 x 57 mm - PP		24 Dispenser box for Velcro® adhesive tape	54
Hook 2mm - 69 x 70 mm - PP		24 Velcro® adhesive tape, mixed	55
Hook 2mm - 99 x 68 mm - PP		24 Velcro® adhesive pad tape, mixed	55
Bottle Neck 31 x 40 mm - PP		25 Carafix adhesive pad tape, mixed	55
Bottle Neck 40 x 84 mm - PP		25 Neodymium magnetic adhesive pad	55
Bottle Neck 42 x 75 mm - PP		25 Permanent magnetic adhesive reel	56
Bottle Neck 44 x 95 mm - PP		25 Permanent magnetic adhesive reel - Special PET/PVC	56
Bottle Neck 45 x 86 mm - PP		26 Adhesive metal reel	56
Bottle Neck 50 x 84 mm - PP		26 Surface degreaser in spray or bottle	57
Bottle Neck 51 x 98 mm - PP		26 3M® VHB Primer	57
Bottle Neck 80 x 90 mm - PET		26 Surface wiper	57
Twisters 13 x 75 mm - Aluminium - Non-permanent adhesive		28 Rubber application wheel	57
Twisters 13 x 75 mm - Aluminium - Non-permanent adhesive		28	

WEBSITE

FIND ALL OUR REFERENCES
ON OUR WEBSITE

LABELLING - POS - DISPLAY - MERCHANDISING



www.all-round.be

ALL ROUND^{NV} GENERAL TERMS AND CONDITIONS OF SALE

1. Dealing with our company implies the customer's consent to these general conditions.

2. Quantities: Unless otherwise specified we reserve the right to supply 20% more or less goods than the quantities actually ordered.

3. Delivery: Unless there are special and express guarantees, the delivery date specified by the buyer is not mandatory and a delay in dispatch shall not entitle the buyer to any claim for compensation.

4. Force majeure: Instances of force majeure and in general all events beyond our control which prevent us from meeting our commitments may cancel them without any consequential action.

5. Prices: Prices are for supply ex our workshops carriage invoiced unless expressly stated in our offer.

Prices are quoted as a guide only based on the following points:

a) the current cost of raw materials and of salaries with their social security contributions.

b) the portion deposited with the International Monetary Fund on the day of the offer for orders fulfilled in whole or in part with equipment from abroad.

c) the import duties applicable on the day of submission of our offer.

Our offers are non-binding and subject to product availability.

An order is only valid if it is duly confirmed by us in writing.

Any changes during the execution of the above points, and any price adjustments by our subcontractors even after our invoice has been issued, will result in a corresponding adjustment of the prices.

6. The technical information or recommendations given in this catalogue are based on tests that we consider reliable. In any event it is for the user to evaluate the product before making a purchase commitment. Under no circumstances can the producer or seller offer a guarantee in the event that the product does not offer the desired use.

7. All dimensions mentioned in this catalogue are theoretical values.

There may be minor differences due to production requirements.

8. Thickness and capacity: The thicknesses and capacities indicated are only approximate. The tolerance is plus or minus 10% of the average thickness.

9. The packaging units mentioned in this catalogue should not be taken in the strict sense. The packaging units are determined by production requirements and may vary on a case-by-case basis.

10. The surfaces on which self-adhesive products are applied vary widely depending on their compatibility with adhesives. The surface to which an adhesive is applied must be clean, dry and free of grease. We strongly recommend that tests are carried out before committing to the purchase of one of our products.

11. Complaints: Any complaint must be submitted within 5 days after delivery and in writing. Under no circumstances will compensation exceed the amount of the invoice. We cannot accept claims for waste or damage of less than 5% of the order or for goods that have been used or processed by the buyer.

12. Transport: The goods are sold in the condition they are in when they leave our premises. The goods are shipped at the buyer's sole risk in all cases. In case of damaged or missing items the buyer must claim from the carrier. This clause applies even if a price inclusive of delivery is agreed.

13. Payment:

13.1 Our invoices are payable within 30 days of invoice date unless otherwise specified

on the invoice.

13.2 Payments are due in Euro or in the expressly agreed currency, net and without discount.

13.3 Any amount not paid when due shall automatically and without formal notice bear interest at 1% per month until the date of payment.

13.4 Our claim to the price shall be unaffected by accidental destruction, loss or deterioration of the goods.

14. Penalty clause:

14.1 Any amount unpaid eight days after the sending of a formal notice shall be increased by an indemnity set by agreement between the parties at 15% of the balance due, with a minimum of €125 or the equivalent in the agreed currency, as a fixed and irreducible penalty clause.

14.2 In cases where the goods have been returned to us in accordance with Articles 12 and 13, the buyer shall automatically owe us an amount equal to 15% of the price of the goods, with a minimum of €125 or the equivalent in the agreed currency, by way of damages, without prejudice to additional compensation for costs caused by the recovery of funds, the recovery of the goods or their repair.

15. Financial guarantees - Termination clause:

15.1 If, before full payment of the price, the buyer's credit is undermined or at risk, we reserve the right to suspend the performance of our obligations until sufficient security has been provided.

15.2 The cases referred to in the preceding paragraph, as well as the failure to pay a single invoice when due, entitle us to suspend any supply, as well as to terminate automatically and without judicial intervention, any contract concluded with the buyer, with no formality other than the notification of our intent to the buyer, by registered letter.

15.3 In the cases set out in the preceding paragraphs, any other sums due from the buyer to us shall be immediately payable.

16. Retention of title:

16.1 Goods supplied by us shall remain our property until full payment of the price by the buyer.

16.2 In the cases set out in Article 11, and generally in the event of the threat or actual occurrence of insolvency proceedings against the buyer's property, we shall be entitled to take back the goods and their accessories, without judicial intervention.

17. Exemptions: Any departure from the above clauses must be notified in writing and accepted by us unless otherwise stipulated. We do not recognise any value in the General Terms and Conditions of Purchase of our correspondents.

18. Territorial jurisdiction: Any disputes will be under the sole jurisdiction of the courts of Ghent.

19. On-call orders: Orders confirmed in writing and scheduled for on-call delivery will be stored for a maximum period of 6 months. After this period these on-call orders will automatically be invoiced and sent to the customer. This stipulation is made in our favour.

Any additional period of time which we expressly or tacitly grant may not be used by our co-contractor to deduce any consequences whatsoever, such as cancellation by us of the contract concluded.

20. Liability: Our company's liability is strictly limited to the outright replacement of any parts found to be defective by examination upon return to our warehouses, regardless of the nature of the defect found, including hidden defects. This excludes any compensation whatsoever. In the event that our products are free from any defects but are unsuitable for any reason whatsoever, our liability cannot in any way be questioned as our customer alone has full responsibility for his order which we limit ourselves to executing. Unless otherwise specified, we do not guarantee products that are sold for a purpose and/or use that we are unaware of.

+32 (0)9 363 93 60

info@all-round.be



ALL ROUND reserves the right to modify the products described in this document at any time and without notice. This document, the photos, texts and drawings it contains are not contractual in nature. All rights are reserved and the total or partial reproduction of this document is strictly forbidden without the consent of the ALL ROUND company. Do not litter. May 2021 - ALL ROUND, a brand of the ISD Group.

www.all-round.be